


Metal adjustable clamping lever with threaded pin

METAL



How to order:

Example: clamping lever code 01NHA45C15 with yellow button = code 01NHA45C15-Y

Black button:	Yellow button:	Red button:	Green button:	Blue button:	Orange button:	Grey button:
Cod. + N	Cod. + Y	Cod. + R	Cod. + V	Cod. + B	Cod. + A	Cod. + G

Code	Description	Dimensions										Insert		Weight grams	Stock
		A	B	D	S	H	H1	h1	h3	d1	h2	d	l		
01NHA45B15..	NHA-P 45 M5x15	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M5	15	28	-
01NHA45B20..	NHA-P 45 M5x20	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M5	20	28	-
01NHA45B25..	NHA-P 45 M5x25	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M5	25	28	-
01NHA45B30..	NHA-P 45 M5x30	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M5	30	28	✓
01NHA45C15..	NHA-P 45 M6x15	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M6	15	28	✓
01NHA45C20..	NHA-P 45 M6x20	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M6	20	30	✓
01NHA45C25..	NHA-P 45 M6x25	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M6	25	32	✓
01NHA45C30..	NHA-P 45 M6x30	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M6	30	34	✓
01NHA60C15..	NHA-P 60 M6X15	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	15	68	-
01NHA60C20..	NHA-P 60 M6X20	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	20	70	✓
01NHA60C25..	NHA-P 60 M6X25	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	25	72	✓
01NHA60C30..	NHA-P 60 M6X30	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	30	74	✓
01NHA60C40..	NHA-P 60 M6X40	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	40	76	✓
01NHA60C60..	NHA-P 60 M6X60	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	60	78	✓
01NHA60D15..	NHA-P 60 M8x15	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	15	71	✓
01NHA60D20..	NHA-P 60 M8x20	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	20	74	✓
01NHA60D25..	NHA-P 60 M8x25	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	25	76	✓

01NHA60D30..	NHA-P 60 M8x30	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	30	78	√
01NHA60D40..	NHA-P 60 M8x40	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	40	80	√
01NHA60D60..	NHA-P 60 M8X60	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	60	82	-
01NHA78D20..	NHA-P 78 M8X20	77,5	88	21	14	46	50	36	20	16	8	M8	20	115	-
01NHA78D25..	NHA-P 78 M8X25	77,5	88	21	14	46	50	36	20	16	8	M8	25	117	-
01NHA78D30..	NHA-P 78 M8X30	77,5	88	21	14	46	50	36	20	16	8	M8	30	120	-
01NHA78D40..	NHA-P 78 M8X40	77,5	88	21	14	46	50	36	20	16	8	M8	40	122	-
01NHA78D50..	NHA-P 78 M8X50	77,5	88	21	14	46	50	36	20	16	8	M8	50	124	-
01NHA78D60..	NHA-P 78 M8X60	77,5	88	21	14	46	50	36	20	16	8	M8	60	126	-
01NHA78E20..	NHA-P 78 M10x20	77,5	88	21	14	46	50	36	20	16	8	M10	20	120	√
01NHA78E25..	NHA-P 78 M10x25	77,5	88	21	14	46	50	36	20	16	8	M10	25	123	√
01NHA78E30..	NHA-P 78 M10x30	77,5	88	21	14	46	50	36	20	16	8	M10	30	127	√
01NHA78E40..	NHA-P 78 M10x40	77,5	88	21	14	46	50	36	20	16	8	M10	40	130	√
01NHA78E50..	NHA-P 78 M10x50	77,5	88	21	14	46	50	36	20	16	8	M10	50	133	-
01NHA78E60..	NHA-P 78 M10x60	77,5	88	21	14	46	50	36	20	16	8	M10	60	136	-
01NHA78F20..	NHA-P 78 M12x20	77,5	88	21	14	46	50	36	20	16	8	M12	20	122	-
01NHA78F25..	NHA-P 78 M12x25	77,5	88	21	14	46	50	36	20	16	8	M12	25	125	-
01NHA78F30..	NHA-P 78 M12x30	77,5	88	21	14	46	50	36	20	16	8	M12	30	128	-
01NHA78F40..	NHA-P 78 M12x40	77,5	88	21	14	46	50	36	20	16	8	M12	40	131	-
01NHA78F50..	NHA-P 78 M12x50	77,5	88	21	14	46	50	36	20	16	8	M12	50	134	-
01NHA78F60..	NHA-P 78 M12x60	77,5	88	21	14	46	50	36	20	16	8	M12	60	137	-
01NHA92E30..	NHA-P 92 M10x30	92	104	24	16,5	53,5	57	42	25	19	9,5	M10	30	132	-
01NHA92E40..	NHA-P 92 M10x40	92	104	24	16,5	53,5	57	42	25	19	9,5	M10	40	136	-
01NHA92E50..	NHA-P 92 M10x50	92	104	24	16,5	53,5	57	42	25	19	9,5	M10	50	140	-
01NHA92E60..	NHA-P 92 M10x60	92	104	24	16,5	53,5	57	42	25	19	9,5	M10	60	144	-
01NHA92F30..	NHA-P 92 M12x30	92	104	24	16,5	53,5	57	42	25	19	9,5	M12	30	134	-
01NHA92F40..	NHA-P 92 M12x40	92	104	24	16,5	53,5	57	42	25	19	9,5	M12	40	140	-
01NHA92F50..	NHA-P 92 M12x50	92	104	24	16,5	53,5	57	42	25	19	9,5	M12	50	144	-
01NHA92F60..	NHA-P 92 M12x60	92	104	24	16,5	53,5	57	42	25	19	9,5	M12	60	148	-
01NHA92N30..	NHA-P 92 M14x30	92	104	24	16,5	53,5	57	42	25	19	9,5	M14	30	136	-
01NHA92N40..	NHA-P 92 M14x40	92	104	24	16,5	53,5	57	42	25	19	9,5	M14	40	141	-
01NHA92N50..	NHA-P 92 M14x50	92	104	24	16,5	53,5	57	42	25	19	9,5	M14	50	147	-
01NHA92N60..	NHA-P 92 M14x60	92	104	24	16,5	53,5	57	42	25	19	9,5	M14	60	151	-
01NHA92P30..	NHA-P 92 M16x30	92	104	24	16,5	53,5	57	42	25	19	9,5	M16	30	138	-
01NHA92P40..	NHA-P 92 M16x40	92	104	24	16,5	53,5	57	42	25	19	9,5	M16	40	143	-
01NHA92P50..	NHA-P 92 M16x50	92	104	24	16,5	53,5	57	42	25	19	9,5	M16	50	140	-
01NHA92P60..	NHA-P 92 M16x60	92	104	24	16,5	53,5	57	42	25	19	9,5	M16	60	154	-
01NHA45B15A..	NHA-P 45 M5x15 RAL 2004	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M5	15	28	-
01NHA45B20A..	NHA-P 45 M5x20 RAL 2004	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M5	20	28	-
01NHA45B25A..	NHA-P 45 M5x25 RAL 2004	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M5	25	28	-
01NHA45B30A..	NHA-P 45 M5x30 RAL 2004	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M5	30	28	√
01NHA45C15A..	NHA-P 45 M6x15 RAL 2004	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M6	15	28	√
01NHA45C20A..	NHA-P 45 M6x20 RAL 2004	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M6	20	30	√
01NHA45C25A..	NHA-P 45 M6x25 RAL 2004	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M6	25	32	√
01NHA45C30A..	NHA-P 45 M6x30 RAL 2004	45	52	13,6	9,4	30	34	25	10,5	10	4,2	M6	30	34	√
01NHA60C15A..	NHA-P 60 M6X15 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	15	68	√
01NHA60C20A..	NHA-P 60 M6X20 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	20	70	√

01NHA60C25A..	NHA-P 60 M6X25 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	25	72	√
01NHA60C30A..	NHA-P 60 M6X30 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	30	74	√
01NHA60C40A..	NHA-P 60 M6X40 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	40	76	√
01NHA60C60A..	NHA-P 60 M6X60 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M6	60	78	√
01NHA60D15A..	NHA-P 60 M8x15 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	15	71	√
01NHA60D20A..	NHA-P 60 M8x20 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	20	74	√
01NHA60D25A..	NHA-P 60 M8x25 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	25	76	√
01NHA60D30A..	NHA-P 60 M8x30 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	30	78	√
01NHA60D40A..	NHA-P 60 M8x40 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	40	80	√
01NHA60D60A..	NHA-P 60 M8X60 RAL 2004	62,5	71	18	12	38,5	42,5	30,5	18	13,5	6	M8	60	82	-
01NHA78D20A..	NHA-P 78 M8X20 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M8	20	115	-
01NHA78D25A..	NHA-P 78 M8X25 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M8	25	117	-
01NHA78D30A..	NHA-P 78 M8X30 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M8	30	120	-
01NHA78D40A..	NHA-P 78 M8X40 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M8	40	122	-
01NHA78D50A..	NHA-P 78 M8X50 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M8	50	124	-
01NHA78D60A..	NHA-P 78 M8X60 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M8	60	126	-
01NHA78E20A..	NHA-P 78 M10x20 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M10	20	120	√
01NHA78E25A..	NHA-P 78 M10x25 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M10	25	123	√
01NHA78E30A..	NHA-P 78 M10x30 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M10	30	127	√
01NHA78E40A..	NHA-P 78 M10x40 RAL 2004	92	88	21	14	46	50	36	20	16	8	M10	40	130	√
01NHA78E50A..	NHA-P 78 M10x50 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M10	50	133	-
01NHA78E60A..	NHA-P 78 M10x60 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M10	60	136	-
01NHA78F20A..	NHA-P 78 M12x20 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M12	20	122	-
01NHA78F25A..	NHA-P 78 M12x25 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M12	25	125	-
01NHA78F30A..	NHA-P 78 M12x30 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M12	30	128	-
01NHA78F40A..	NHA-P 78 M12x40 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M12	40	131	-
01NHA78F50A..	NHA-P 78 M12x50 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M12	50	134	-
01NHA78F60A..	NHA-P 78 M12x60 RAL 2004	77,5	88	21	14	46	50	36	20	16	8	M12	60	137	-
01NHA92E30A..	NHA-P 92 M10x30 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M10	30	132	-
01NHA92E40A..	NHA-P 92 M10x40 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M10	40	136	-
01NHA92E50A..	NHA-P 92 M10x50 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M10	50	140	-
01NHA92E60A..	NHA-P 92 M10x60 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M10	60	144	-
01NHA92F30A..	NHA-P 92 M12x30 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M12	30	134	-
01NHA92F40A..	NHA-P 92 M12x40 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M12	40	140	-
01NHA92F50A..	NHA-P 92 M12x50 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M12	50	144	-
01NHA92F60A..	NHA-P 92 M12x60 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M12	60	148	-
01NHA92N30A..	NHA-P 92 M14x30 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M14	30	136	-
01NHA92N40A..	NHA-P 92 M14x40 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M14	40	141	-
01NHA92N50A..	NHA-P 92 M14x50 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M14	50	147	-
01NHA92N60A..	NHA-P 92 M14x60 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M14	60	151	-
01NHA92P30A..	NHA-P 92 M16x30 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M16	30	138	-
01NHA92P40A..	NHA-P 92 M16x40 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M16	40	143	-
01NHA92P50A..	NHA-P 92 M16x50 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M16	50	140	-
01NHA92P60A..	NHA-P 92 M16x60 RAL 2004	92	104	24	16,5	53,5	57	42	25	19	9,5	M16	60	154	-

The Standard Code 01NHA45C15 is for **black handle without button**.

The Code 01NHA45C15A is for **orange handle without button**.

Clamping lever material

Die-cast zinc alloy with epoxide resin painting.

Clamping lever colour

Black RAL 9005 with satin finish. Orange RAL 2004 with shiny finish. Other colours for suitable quantities.

Stud bolt

Galvanized steel with tothing, directly obtained.

Special inserts on design and/or in brass, on request for suitable quantities.

Return spring

Burnished steel.

Stop screw

Galvanized steel. It can be used for the assembly of the lever with nut-runner.

Screw cover button

Technopolymer with satin finish.

Standard colour: orange RAL 2004 for black lever and black RAL 7021 for orange lever.

Other available colours: yellow RAL 1021, red RAL 3020, green RAL 6018, blue RAL 5015, grey RAL 7035.

Customization of the button with client's logo for suitable quantities.

Package

10 - 50 - 100 pcs.